



# M140 ALUMINISE Anis 62

## Technical properties



Flame retardant



Thermal



Thermal

**Applications** Panel curtains - Curtains - Roman blinds

**Composition** 100 % polyester FR aluminisé

**Weight** 70 g/m<sup>2</sup>

**Width** 280 cm

**Fabric direction** Room high or standard direction

**Fitting** ↔ cm ↓ cm

**Maintenance advice**

**Label** OekoTex / France Terre Textile

**Minimum order** 1 linear(s) meter(s)

## Technical characteristics

Flame retardant	M1 / IMO PASS
Optical index	Light reflexion : <b>32 %</b>
	Light absorption : <b>40 %</b>
	Light transmission : <b>28 %</b>
Transparent veil	Yes
Thermal index	Solar reflexion : <b>34 %</b>
	Solar absorption : <b>36 %</b>
	Solar transmission : <b>30 %</b>
	UV transmission : <b>28 %</b>
	Gtot : <b>Gt 69 % Fc 71 %</b>
Resilience	Lightfastness (units Class/8) <b>6</b>
	Dimensional Stability (%)
	Warp <b>-2</b>
	Weft <b>-1</b>
	Breaking Elongation
	Warp <b>19</b>
	Weft <b>18</b>
	Breaking load (daN)
	Warp <b>46</b>
	Weft <b>34</b>

